



Vintec

**Vintec
Collection**

For the love of wine

Great wines are crafted with an obsession for quality at each step of the production process: from viticulture through oenology to maturation, not a single phase can be overlooked.

The first two steps are in the hands of professional winemakers, but serious collectors, sommeliers and merchants know that they accept responsibility for successful long-term maturation.

They also know that Vintec climate-controlled cellars are the most reliable tools for ensuring their collections are protected.

Created to meet standards of excellence born from a love of wine, they recreate the ideal storage conditions found only in the best natural underground cellars.

Whether you have dusty cases under your stairs or an investment-grade collection, Vintec has the range of capacities and styles to ensure your wine can be enjoyed at its best for many years to come.

“I am totally delighted with my Vintec wine cabinet. It combines elegance and functionality of the highest order.”

– James Halliday, leading Australian wine critic

Contents

Introduction

Why choose Vintec?	4
The Vintec story	6
The golden rules of wine storage	8
Technology	10
Features	11
Selecting your wine cabinet	12

Home Wine Bars

Single Zone	16
Dual Zone	18
Beverage Centres	20

Epicure Range

Multi Temp	24
Single Zone	26
Beverage Centres	28

Walk-in Cellars

Cavivision	33
Espace	34

Testimonials

Chefs and sommeliers	39
Industry experts	40

The Vintec Club

About the club	44
Private tastings	46
Accessories shop	48

Technical Guidelines

Ventilation	52
Capacity	54
Temperature	56
Detailed specifications	58

Photo: 2x V190SG2E-BK installed at Feathers Hotel, Adelaide

Why choose Vintec?

Photo: 5x V190SG2E-BK installed at Rockpool, Sydney

Wine cellars are our specialty

In fact, that is all we do. Being intimately connected to the wine industry and focussed solely on wine cabinets for over two decades, we have developed the largest and most advanced range to suit all wine storage requirements.

The Vintec guarantee

All Vintec wine cellars have been tested to ensure they function in Australian and New Zealand climates. Covered by a two year warranty, our cellars bear unique identification numbers that allow their origin and authenticity to be traced. They are also backed by dedicated phone support teams in Sydney and Auckland, as well as a national network of service specialists.

We care about your collection

Our highest priority is to offer the best and safest storage solution for your wine. For instance, all our cellars have dark interiors and dim UV-free lighting, instead of white interiors and bright lights. Why? Because it's important to keep your wine in a dark storage area.

Become a member of the Vintec Club

When you own a Vintec, you're entitled to become a member of the Vintec Club and enjoy exclusive wine industry benefits, discounts and services including:

- Invitations to Vintec Club Private Tastings;
- Ongoing VIP pricing on Riedel glassware;
- Langton's wine voucher; and
- Privileged access to the Scotch Malt Whisky Society.


Find out more on page 44.

The Vintec story

Vintec is recognised across Australia and the Asia-Pacific region as the benchmark for wine preservation solutions.

We offer precision tools for cellaring and serving that are coveted by enthusiastic collectors, sophisticated entertainers and industry professionals alike.

We are deeply passionate about wine, and believe that correct temperature control can unlock a whole new level of enjoyment and satisfaction for your wine experience.



Heritage

The Vintec brand was created in 2000 by two entrepreneurial Frenchmen who shared a common love for wine. They leveraged their previous experience with the Transtherm luxury wine cabinets brand to collaborate with Danish designers and manufacturers to introduce a range of stylish, functional and accessible wine preservation systems.



Products

Vintec has the widest range of wine cellaring and serving solutions to meet all requirements and capacities from 20 to 4000 bottles: if Vintec can't meet your needs, no other brand can.



Knowledge

We offer wine expertise without the ego, to guide you along your wine journey and provide you with knowledge and confidence to appreciate your wine at its best.

The golden rules of wine storage

Vintec cabinets ensure your wines are stored in the ideal cellaring conditions by respecting these five essential rules.

1

Stable temperature

Our wine cabinets maintain stable temperature thanks to:

- interaction between a compressor and a thermostat;
- insulated side panels; and
- double/triple-glazed doors.



Temperature fluctuations denature your wines. In particular, temperatures above 25°C will ruin wine within a couple of weeks and create “spoiled fruit” flavours.

2

Humidity above 50%

Vintec wine cabinets incorporate a Thermal Recycling Pump that ensures adequate humidity levels are maintained (50% or greater). The system works by heating condensed water, which is then introduced as humid air within the cabinet (see page 10).



Humidity lower than 50% causes corks to dry out and shrink, allowing damaging air into the wine, creating oxidation and “off” odours.

3

Dark storage area

Our cabinets protect wine from light damage by incorporating:

- UV-treated tinted glass doors;
- dark interiors; and
- dimmed LED lights.



All light should be avoided, but UV light in particular: it creates hydrogen sulphide compounds in wine and affects the tannins and colour of your wine.

4

No vibrations

To protect the quality of your wine, our cabinets create a vibration-proof environment by including:

- an externally-housed compressor;
- rubber shock absorbers; and
- vibration-absorbing wooden shelves.



Imperceptible vibrations prematurely deteriorate wine by speeding up chemical reactions and ageing.

5

Airflow

Vintec cabinets include internal and external fans to ensure a slow reticulated air flow throughout the cabinet. The larger models also include a carbon filter to limit any odours penetrating from the exterior.



Lack of appropriate ventilation and air change makes wine cellars become stale and mouldy.

Technology

Why a wine cabinet instead of a fridge?

Traditional refrigerators generate intense cold and remove ambient humidity. They denature your wines and dry out corks.

Vintec wine cabinets are designed specifically for the preservation and maturation of your wines: they use thermal recycling pump technology to replicate the ideal conditions found in the best natural underground cellars (see diagram below).

Caring for the environment as well as your wine

Vintec climate-controlled wine cabinets are equipped with energy-efficient R600a refrigerant gas, which has zero ozone-depleting properties.


The switch to R600a is part of a series of initiatives that Vintec has undertaken in order to limit our carbon footprint and to preserve the environment.



Thermal recycling pumps

3

Humid air drawn up through shaft into cabinet



1

Condensed water released from outlet pipe into collection tray

2

Water heated to produce vapour

Features




Adjustable sliding beechwood anti-vibration shelves



Carbon filters




LED lighting, temperature display and control panels



Audio and visual alarms



Integrated locks



Dual-cycle cooling and heating for constant temperature



Anti-UV tinted glass doors

Selecting your wine cabinet


Capacity



Home Wine Bars
20 – 50 bottles



Epicure Range
110 – 198 bottles



Walk-in Cellars
600 – 4000 bottles




Easy = capacity that can be reached with all supplied shelves installed and with a maximum of 4 - 5 levels of stacking per shelf.
Max = maximum capacity that can be reached. For some models, reaching this capacity requires using less shelves than supplied.

Capacities expressed are based on that achieved in our testing using standard 750ml Bordeaux style wine bottles (see page 54 for dimensions) or 330ml beer bottles. Our cabinets can accommodate other shapes and sizes of bottles, however their inclusion may affect overall maximum capacity.

Design



Seamless
Stainless Steel



Noir
Borderless Black Glass



Allect
Brushed Aluminium

Function



Single Zone

Since all wines – reds, whites and Champagne – cellar at the same temperature (12° - 14°C), a Single Zone cabinet is ideal for conveniently storing and cellaring all your wines. Alternatively, a Single Zone cabinet can be used to serve wines at optimal drinking temperatures: either 6° - 8° for white, or 16° - 18° for red.



Dual Zone

A Dual Zone cabinet is ideal for keeping both reds and whites at optimal respective drinking temperatures. Set one compartment at 6° - 8°C for whites and Champagne, and the other at 16° - 18° for reds. Alternatively, one compartment can be set at a serving temperature and the other at 12° - 14° for cellaring.



Multi Temp

Vintec's versatile Multi Temp technology is designed for serving different styles or varieties at their optimal individual drinking temperatures. For instance, setting the bottom at 6°C and the top at 18° generates a temperature gradient throughout the cabinet allowing you to keep several different varieties all shelved at their optimal drinking temperatures.



20 - 50

You love to entertain at home and it's important that your guests are well received. A Vintec Home Wine Bar is designed to be placed underbench and suit the modern lifestyle. Have your best wines on hand at perfect serving temperatures ready to be enjoyed, or cellar a small collection with confidence.

Home Wine Bars



Single Zone Wine Cabinets

Wine cabinets for cellaring all varieties (set at 12° - 14°C), or serving either white/Champagne (6° - 8°) or red (16° - 18°).

V40 series

Underbench or freestanding



Easy: 40
Max: 50

V40SGEBK



V40SGES3



AL-V40SGE



- Triple glazed door with anti-UV glass
- Adjustable wooden shelves
- Security lock
- Reversible door
- Digital temperature display
- LED internal lighting
- Thermal recycling pump

- Triple glazed door with anti-UV glass
- Adjustable wooden shelves
- Security lock
- Reversible door
- Digital temperature display
- LED internal lighting
- Thermal recycling pump

- Triple glazed door with anti-UV glass
- Adjustable wooden shelves
- Reversible door
- Digital temperature display
- LED internal lighting
- Thermal recycling pump

V30 series

Freestanding only



Easy: 28
Max: 35

V30SGMEBK



V30SGES3



AL-V30SGE



- FREESTANDING ONLY**
- Triple glazed door with anti-UV glass
- Adjustable wooden shelves
- Reversible door
- Digital temperature display
- LED internal lighting
- Thermal recycling pump

- FREESTANDING ONLY**
- Triple glazed door with anti-UV glass
- Adjustable wooden shelves
- Reversible door
- Digital temperature display
- LED internal lighting
- Thermal recycling pump

- FREESTANDING ONLY**
- Triple glazed door with anti-UV glass
- Adjustable wooden shelves
- Reversible door
- Digital temperature display
- LED internal lighting
- Thermal recycling pump

V20 series

Underbench / freestanding



Easy: 18
Max: 20

V20SGEBK



- Triple glazed door with anti-UV glass
- Adjustable wooden shelves
- Security lock
- Reversible door
- Digital temperature display
- LED internal lighting
- Thermal recycling pump



Dual Zone Wine Cabinets

A serving cabinet for white (set upper chamber at 6° - 8°C) and red (set lower chamber at 16° - 18°). The lower chamber can also be used for cellaring either style (12° - 14°).

V40 series (horizontal split)

Underbench or freestanding



Easy: 40
Max: 50

V40SG2EBK



V40SG2ES3



-  Triple glazed door with anti-UV glass
-  Two separate chambers
-  Adjustable wooden shelves
-  Security lock
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump

-  Triple glazed door with anti-UV glass
-  Two separate chambers
-  Adjustable wooden shelves
-  Security lock
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump



Dual Zone Wine Cabinets

A serving cabinet for white (set left chamber at 6° - 8°C) and red (set right chamber at 16° - 18°). One chamber can also be used for cellaring either style (12° - 14°).

V40 series (vertical split)

Underbench or freestanding



Easy: 36
Max: 40

V40DG2EBK



AL-V40DG2E



-  Triple glazed doors with anti-UV glass
-  Two chambers with separate doors
-  Adjustable wooden shelves
-  Security locks on each door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump

-  Triple glazed doors with anti-UV glass
-  Two chambers with separate doors
-  Adjustable wooden shelves
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump



Single Zone Beverage Centres

Perfect for entertaining, the Beverage Centre keeps beer cold at 2° - 5°C and chills white wines and Champagne for serving.

V40 series

Underbench or freestanding



Easy: 80
Max: 100
(330ml beer)

V40BVCBK



V40BVCS3



AL-V40BVC



V20BVCBK



-  Triple glazed door with anti-UV glass
-  Adjustable shelves
-  Security lock
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump

-  Triple glazed door with anti-UV glass
-  Adjustable shelves
-  Security lock
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump

-  Triple glazed door with anti-UV glass
-  Adjustable shelves
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump

-  Triple glazed door with anti-UV glass
-  Adjustable shelves
-  Security lock
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump

V20 series

Underbench or freestanding



Easy: 40
Max: 48
(330ml beer)



110 - 198

You collect and consume the finest wines; therefore you should have the best storage and serving solution available. From ageing to serving, a Vintec cabinet from the Epicure Range is the answer to every wine connoisseur's dream.

Epicure Range



Multi Temp Wine Cabinets

Multi Temp cabinets can either be used with a consistent temperature of 12° - 14°C throughout for cellaring, or with a temperature gradient from top to bottom for serving different styles/varietals at their optimal specific drinking temperature.



Easy: 130
Max: 198

V190SG2E-BK



V190SG2E-AL



- Double glazed door with anti-UV glass
- Adjustable wooden shelves
- Security lock
- Digital temperature display
- LED internal lighting
- Audio and visual alarm
- Winter function (heating system)
- Thermal recycling pump



Easy: 80
Max: 148

V150SG2E-AL



- Double glazed door with anti-UV glass
- Adjustable wooden shelves
- Security lock
- Reversible door
- Digital temperature display
- LED internal lighting
- Audio and visual alarm
- Winter function (heating system)





Single Zone Wine Cabinets

Wine cabinets for cellaring all varieties (set at 12° - 14°C), or serving either white/Champagne (6° - 8°) or red (16° - 18°).



Easy: 155
Max: 170

V155SGES3



-  Triple glazed door with anti-UV glass
-  Slide-out wooden shelves
-  Security lock
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump
-  Winter function (heating system)



Easy: 110
Max: 130

V110SGES3



-  Triple glazed door with anti-UV glass
-  Slide-out wooden shelves
-  Security lock
-  Reversible door
-  Digital temperature display
-  LED internal lighting
-  Thermal recycling pump
-  Winter function (heating system)





Single Zone Beverage Centres

With capacity to store and chill up to 10 cases of beer, the V190BVC-BK is the ultimate solution for entertainers or craft beer collectors. Designed to be paired with the V190SG2E-BK Multi Temp Wine Cabinet.



Easy: 250
Max: 260
(330ml beer)

V190BVC-BK



-  Double glazed door with anti-UV glass
-  Winter function (heating system)
-  Adjustable shelves
-  Security lock
-  Digital temperature display
-  LED internal lighting
-  Audio and visual alarm
-  Thermal recycling pump



600 - 4000

The environmental simulation of an underground cave. Not only does it recreate the ideal storage conditions for large collections, but true connoisseurs will discover the unique feeling of physically walking into their own treasured cellar.

Walk-in Cellars



Cavivision

Cavivision combines the elegance of a showcase to present your treasured collection with the luxury of a walk-in cellar. The unit can be built-in or freestanding, is delivered as a flat-pack and can be disassembled if you move to a new home or premises. Sturdy shelving and an impact-cushioning floor complete the package.



Max: 600

CAVIVISION



-  Double glazed door with anti-UV glass
-  Security lock
-  Digital temperature display
-  Shelf-mounted LED display lights
-  Thermal recycling pump



Espace

The Espace is the ultimate in luxurious convenience for the serious collector or industry professional. The unit can be built-in or freestanding, is delivered as a flat-pack and can be disassembled if you move to a new home or premises. Extension packs can be added if your collection grows, while sliding shelving and an impact-cushioning floor complete the package.



Max: 1000

ESPACE-1000



-  Double glazed door with anti-UV glass
-  Sliding and lockable shelving
-  Winter function (heating system)
-  Security lock
-  Digital temperature display
-  Thermal recycling pump

Extension packs:

ESPACE-2000



Max: 2000

ESPACE-3000



Max: 3000

ESPACE-4000



Max: 4000





Testimonials

Photo: 5x V190SG2E-BK installed in the Back Vintage Room at Penfolds' Magill Estate cellar door in Adelaide.

Chefs and sommeliers who trust Vintec

NSW

Aqua Dining
Azuma
Bells at Kilcare
Billy Kwong
Bistro Gavroche
Bistro Moncur
Buon Ricordo
Café Sydney
Cirrus Dining
Chapter One
Fratelli Fresh
Fratelli Paradiso
Golden Century
Guillaume
Hotel Centennial
Jersey St Bistro
Kellys Bar & Grill
Koi Dessert Bar
Mille Vini
Otto's
Park Hyatt Sydney
Public Dining Room
Rockpool Bar & Grill
Royal Sydney Golf Club
Sepia
Spice Temple
Sydney Towers
Tetsuya's
The Malaya
The Queens Club
The Star
The Wine Library
Verde
Waterfront Italian
Young Alfred

VIC

Birches Luxury Spa Chalets
Blue Pyrenees Estate
Dell Ugo
Itchi-Ni
Maha Bar & Grill
Melbourne Cricket Club
Movida
Pizzini Winery
Rockpool Bar & Grill
Shanghai Dynasty
The Royal Mail Hotel
Vue De Monde

SA

Adelaide Wine Centre (National Wine Centre of Australia)
Assaggio
Feathers Bar
Penfolds Magill Estate
Queen Adelaide Club
Star House

QLD

Esquire
Heron Island Resort
Jellyfish
Mantra Hotel
Mecca Bah
Regatta Hotel
Wilson's Boathouse

WA


Burswood Entertainment Complex
Cape Mentelle
Cullen
El Questro
Incontro
Rockpool Bar & Grill
The Heritage Brasserie

NZ

Dida's Wine Lounge
Grand Hotel
Hilton Queenstown
Meat Fish Wine
QT Wellington
Sails Restaurant
Skycity
Soul Bar
The Grill

Photo: 4x V155SGES3 installed at Meat Fish Wine, Auckland.

What the experts say



James Halliday

Leading wine
writer and judge

"It seems extraordinary that I had been a partner in a large law firm for almost 20 years before the arrival of email and mobile phones. How on earth did we exist? Now I have made another transition every bit as dramatic: it was the installation of a Vintec wine cabinet in my office.

It makes a decision to try an older wine with a cork closure not fraught with terminal danger, and in the heat of summer, my Vintec allows me to chill all my whites and reds to perfect serving temperatures.

I really have no idea what I would do if I no longer had my Vintec, or how I lived before it."



David Doyle

Wine collector
and owner of
Rockpool
Bar & Grill

"Temperature control is everything with wines, especially with older wines – it doesn't take much to ruin them – you have to care for them from the moment you get them to the moment you drink them.

I use Vintec and I'm happy to recommend them because they're quality products which work incredibly well for me."



Peter Bourne

Wine educator
and judge

"At last, the perfect solution to Australia's warm climate – a Vintec wine cabinet."

"A full-bodied red wine, served at, say 22° to 24°C, may cause it to taste mawkish and lack refreshment. Which is one of the reasons so many of Australia's better restaurants store their reds in wine storage units from specialist companies like... Vintec."

– **Tim White, *The Australian Financial Review*** ('Life & Leisure'), January 2013



The Vintec Club

VINTEC CLUB

The Vintec Club is a private club for owners of Vintec and Transtherm wine cellars.

Purchasing any cellar entitles you to lifetime membership – our way of saying thank you to our discerning and valued customers who invariably love wine.

Whether you acquired your wine cabinet today or ten years ago, it would be a pleasure to welcome you as the newest member of our community.

MEMBER BENEFITS:

- Invitations to Vintec Club Private Tastings;
- Ongoing VIP pricing on Riedel glassware;
- Langton's wine voucher; and
- Privileged access to the Scotch Malt Whisky Society.



Wine broker

When you become a member of the Vintec Club, you're entitled to the expert service of a personal Langton's Wine Broker (in New Zealand this is offered via the New Zealand Wine Society) who will provide you with direct and privileged access to the greatest wines and vintages of Australia, New Zealand and the world – at private customer prices.

Your broker will:

- advise you on rare and collectible wines and even place auction bids for you;
- source local and imported wines from over 500 leading wineries for you; and
- get to know your favoured wine styles.



Concierge service

As a member of the Vintec Club you have access to a dedicated Concierge service, which includes:

- cellar management and care tips;
- cellar service and warranty requests;
- member benefit enquiries; and
- bookings for Vintec Club Private Tastings.



Expert advice

Peter Bourne – aka "The Wine Man" – is synonymous with enthusiasm and passion for all things vinous.

He's a wine educator and judge, who also writes for *Gourmet Traveller Wine* and *Qantas The Australian Way* magazines.

Peter's enthusiasm is now extended to Vintec Club members, who are encouraged to take advantage of his expertise via Q&A and his regular feature columns on our wine blog.

Peter is also an expert on collectible wines, and as a member you have the opportunity to contact him for advice.

To find out more or become a member, go to vintecclub.com



VINTEC CLUB

PRIVATE TASTINGS

Members of the Vintec Club receive exclusive invitations to unique wine experiences and intimate dinners in the company of celebrated winemakers from around the world.

Hosted in a family-like and relaxed atmosphere, the Vintec Club Private Tastings are an opportunity to share with our members our passion for well-aged wines.

These private events are subsidised by the Vintec Club in order to bring our members exceptional wine tastings and dinners at nominal ticket prices.




VINTEC CLUB

VC SHOP

The Vintec Club Shop is an exciting treasure trove of beautiful and functional accessories to enhance your wine appreciation. From serving and preserving to glassware and tableware, every item in our range is a collectible statement of style.

Vintec Club members receive generous discounts, as well as access to rare and limited edition items.



VIP

RIEDEL VIP

Ongoing 20% VIP discount, plus free nationwide delivery.

\$

SPECIAL PRICES

Access to special prices for club members on all shop items.

M

MEMBERS AREA

Access to rare and limited edition items.

Browse today at vintecclub.com/shop

FEATURED BRANDS:



Professor Claus J. Riedel was the first to recognise that the bouquet and balance of wines are affected by the shape of the glass. Riedel is now recognised worldwide for designing and producing the highest quality glassware for the enjoyment of wine.



Legnoart was born out of love and passion for wood and beauty. After almost seventy years, Legnoart is among the major Italian companies in the household, kitchen and cellar furniture design business, and is distributed in over 52 countries.



ÜILO

Üilo is a revolutionary wine purifier that restores the natural taste of wine with Selective Sulfite Capture™ filter technology. Breathe life into reds, or maintain the balance of whites. Twist the aerator on or off to suit your preference.



Technical Guidelines

Ventilation


All Vintec cabinets are equipped with compressors that generate heat and therefore require a minimum ventilation gap when building them into cabinetry, or positioning them under benches or adjacent to other appliances. The diagrams on these pages are a guide to assist purchasing selection, but detailed, model-specific ventilation requirements

should be obtained from our website at vintec.com.au prior to installation. A ventilation grill must be installed for any cabinet built under bench or into cabinetry.


NOTE: Illustrations not to scale.
All dimensions in millimetres.

Outdoor/alfresco use


Units being installed in outdoor/alfresco areas must be kept out of direct sunlight and away from rain.




LEGEND




V20 Noir models




V30 All models
FREESTANDING ONLY




V40 Noir models




V40 Seamless models




V40 All models




V150/V190 Alllect models



V190 Noir models



V110/V155 Seamless models



Walk-in Cellar models

Conditioner units must be mounted at the front, and must never be obstructed or covered.

* Extra space is recommended on the opening edge/top for easy finger grip access, as well as on the hinge side to allow doors to open wide enough for shelves to slide out.

Capacity and shelf stacking


NOTE: Illustrations not to scale.
All dimensions in millimetres.

Different shapes and sizes

This brochure makes reference to the 'standard Bordeaux style bottle' when specifying capacity. The dimensions and proportions of this bottle shape are shown at 1. However, wine producers use a huge range of different bottle shapes and sizes, some of which are shown at 3.

Bottle shape variety should be considered when selecting the appropriate Vintec cabinet in which to house your precious collection, since shelf height and adjustability varies across the product range.

Please also be aware that some bottles will not fit opposite each other on the same shelf and this may affect capacity. You may need to lay the bottles opposite more suitably shaped bottles. Ideally, bottles should lie with their necks comfortably interlocking as seen at 2.




Standard Bordeaux style bottle dimensions



Standard Bordeaux style

Stacking for ageing

When filling your cabinet, we suggest stacking the bottles you wish to cellar and mature at the back of the shelves, and the wines you wish to consume in the short-term at the front (see below).



Shelf top view




Shelf front view


Stacking for accessibility

When stacking bottles, it is practical to keep bottles from the same case together. See diagrams below, in which bottles from the same case are represented by the same colours.

Vertically stacking same-case bottles enables safe and easy access to all your different wines.



Shelf top view



Shelf front view

Cellaring and serving temperatures

Although all wines – reds, whites and Champagnes – should be cellared at the same temperature, different wines have different ideal serving temperatures. Cellar and serve your wines according to the chart below in order to always enjoy your wines at their best.



Cellaring

Fridge temperature
(too cold)

Optimal cellaring temperature
for all wines
(red, white and Champagne)

Ambient Australian room temperature
(too hot)



Serving



IF SERVED BELOW IDEAL TEMPERATURE:

Tannins will be harsher; bitterness and acidity will be accentuated.

Sauvignon Blanc & Champagne

Chardonnay

Pinot Noir & Merlot

Cabernet Sauvignon & Shiraz

IF SERVED ABOVE IDEAL TEMPERATURE:

Aromas are stripped of their finesse and hidden by a sensation of alcohol.

VINTEC CLUB

For more expert advice and great resources on collecting, cellaring and serving wine, visit vintecclub.com

Detailed specifications

Home Wine Bars

	V20SGEBK	V20BVCBK	V30SGMEBK	V30SGES3	AL-V30SGE	V40SGES3	V40BVC3	V40SG2E3
Bottle capacity*	20	48 (beer)	35	35	35	50	100 (beer)	50
Primary function	Cellar red & white	Serve beer & white	Cellar red & white	Cellar red & white	Cellar red & white	Cellar red & white	Serve beer & white	Zone 1: Serve red Zone 2: Serve white
Alternate function	Serve red or white	NA	Serve red or white	NA	Zone 1: Serve Zone 2: Cellar			
Finish	Black glass	Black glass	Black glass	Stainless steel	Brushed aluminium	Stainless steel	Stainless steel	Stainless steel
Temperature zones	1	1	1	1	1	1	1	2
Temperature ranges (°C)	6 - 18	2 - 10	6 - 18	6 - 18	6 - 18	6 - 18	2 - 10	Zone 1: 6 - 10 Zone 2: 10 - 18
Shelves	5 full, 1 half	3 full	3 full, 1 half	3 full, 1 half	3 full, 1 half	4 full, 1 half	3 adjustable	3 full, 1 half
Shelving material	Wood	Metallic, wood front	Wood	Wood	Wood	Wood, SS front	Metallic, SS front	Wood, SS front
Mood lighting	Crystal white LED	Crystal white LED	Amber LED	Blue LED	Crystal white LED	Blue LED	Blue LED	Blue LED
Door type	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass
Built-in or freestanding only	Both	Both	Freestanding only	Freestanding only	Freestanding only	Both	Both	Both
Stabilised temperature control	✓	✓	✓	✓	✓	✓	✓	✓
Regulated humidity¹	✓	✓	✓	✓	✓	✓	✓	✓
Dark storage area²	✓	✓	✓	✓	✓	✓	✓	✓
Vibration reduction system	✓	✓	✓	✓	✓	✓	✓	✓
Frequent air circulation	✓	✓	✓	✓	✓	✓	✓	✓
Lock	✓	✓				✓	✓	✓
Thermal recycling pump	✓	✓	✓	✓	✓	✓	✓	✓
Winter heating function								✓
LED display panel	✓	✓	✓	✓	✓	✓	✓	✓
Alarm (audible and visual)						✓	✓	✓
Alarm (visual only)								
Energy efficient R600a gas	✓	✓	✓	✓	✓	✓	✓	✓
Reversible door	✓	✓	✓	✓	✓	✓	✓	✓
Display shelves available for order								
Dimensions (H x W x D) (mm)	830 x 296 x 575	830 x 296 x 575	830 x 493 x 590	830 x 493 x 590	830 x 493 x 590	820 x 595 x 563	820 x 595 x 563	820 x 595 x 563
Rear spacer³ (mm)	30	30	30	30	30	30	30	30
Front or rear venting	Front	Front	NA	NA	NA	Front	Front	Front
Body colour	Black	Black	Black	Black	Black	Black	Black	Black
Door supplied right or left hinged	RH	RH	RH	RH	RH	RH	RH	RH
Weight (kg)	27	27	42	42	42	52	52	52
Electricity consumption⁴ (kWh/day)	1	1	1	1	1	1	1	1
Rated voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
Glazing and UV-treatment	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV

Note: While product specifications are accurate at the time of printing, changes and improvements can occur at any time

* Max capacity, based on that achieved in our testing using standard 750ml Bordeaux style wine bottles or 330ml beer bottles

¹ When set at 12 - 14° celsius

² Dark interiors and tinted glass

³ Refer to install specs available at vintec.com.au

⁴ Actual energy consumption will depend on the ambient temperature, the set temperature and how often the door is opened

Home Wine Bars (cont'd)

	V40SGEBK	V40BVCK	V40SG2EBK	V40DG2EBK	AL-V40SGE	AL-V40BVC	AL-V40DG2E
Bottle capacity*	50	100 (beer)	50	40	50	100 (beer)	40
Primary function	Cellar red & white	Serve beer & white	Zone 1: Serve red Zone 2: Serve white	Zone 1: Serve red Zone 2: Serve white	Cellar red & white	Serve beer & white	Zone 1: Serve red Zone 2: Serve white
Alternate function	Serve red or white	N/A	Zone 1: Serve Zone 2: Cellar	Zone 1: Serve Zone 2: Cellar	Serve red or white	NA	Zone 1: Serve Zone 2: Cellar
Finish	Black glass	Black glass	Black glass	Black glass	Brushed aluminium	Brushed aluminium	Brushed aluminium
Temperature zones	1	1	2	2	1	1	2
Temperature ranges (°C)	6 - 18	2 - 10	Zone 1: 6 - 10 Zone 2: 10 - 18	Zone 1: 6 - 18 Zone 2: 6 - 18	6 - 18	2 - 10	Zone 1: 6 - 18 Zone 2: 6 - 18
Shelves	4 full, 1 drawer	3 adjustable	3 full, 1 half	10 full, 2 half	4 full, 1 half	3 adjustable	10 full, 2 half
Shelving material	Wood	Metallic wood front	Wood	Wood	Wood	Metallic SS front	Wood
Mood lighting	Crystal white LED	Crystal white LED	Crystal white LED	Crystal white LED	Crystal white LED	Crystal white LED	Crystal white LED
Door type	Glass	Glass	Glass	Glass	Glass	Glass	Glass
Built-in or freestanding only	Both	Both	Both	Both	Both	Both	Both
Stabilised temperature control	✓	✓	✓	✓	✓	✓	✓
Regulated humidity¹	✓	✓	✓	✓	✓	✓	✓
Dark storage area²	✓	✓	✓	✓	✓	✓	✓
Vibration reduction system	✓	✓	✓	✓	✓	✓	✓
Frequent air circulation	✓	✓	✓	✓	✓	✓	✓
Lock	✓	✓	✓	✓	✓	✓	✓
Thermal recycling pump	✓	✓	✓	✓	✓	✓	✓
Winter heating function			✓				
LED display panel	✓	✓	✓	✓	✓	✓	✓
Alarm (audible and visual)							
Alarm (visual only)	✓	✓	✓	✓	✓	✓	✓
Energy efficient R600a gas	✓	✓	✓	✓	✓	✓	✓
Reversible door	✓	✓	✓	✓	✓	✓	✓
Display shelves available for order							
Dimensions (H x W x D) (mm)	820 x 595 x 563	820 x 595 x 563	820 x 595 x 563	820 x 595 x 563	820 x 595 x 563	820 x 595 x 563	820 x 595 x 563
Rear spacer³ (mm)	30	30	30	30	30	30	30
Front or rear venting	Front	Front	Front	Front	Front	Front	Front
Body colour	Black	Black	Black	Black	Black	Black	Black
Door supplied right or left hinged	RH	RH	RH	Both	RH	RH	Both
Weight (kg)	52	52	52	52	52	52	52
Electricity consumption⁴ (kWh/day)	1	1	1	1	1	1	1
Rated voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
Glazing and UV-treatment	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV	Triple glazed, UV

Note: While product specifications are accurate at the time of printing, changes and improvements can occur at any time

* Max capacity, based on that achieved in our testing using standard 750ml Bordeaux style wine bottles or 330ml beer bottles

¹ When set at 12 - 14° celsius

² Dark interiors and tinted glass

³ Refer to install specs available at vintec.com.au

⁴ Actual energy consumption will depend on the ambient temperature, the set temperature and how often the door is opened

Epicure Range

	V110SGE3	V155SGE3	V190SG2E-BK	V190BVC-BK	V150SG2E-AL	V190SG2E-AL
Bottle capacity*	130	170	198	260	148	198
Primary function	Cellar red & white	Cellar red & white	Serve all	Serve beer & white	Serve all	Serve all
Alternate function	Serve red or white	Serve red or white	Cellar red & white	NA	Cellar red & white	Cellar red & white
Finish	Stainless steel	Stainless steel	Black glass	Black glass	Brushed aluminium	Brushed aluminium
Temperature zones	1	1	1 or multi	1	1 or multi	1 or multi
Temperature ranges (°C)	6 - 18	6 - 18	6 - 22	2 - 10	6 - 22	6 - 22
Shelves	10 sliding, 1 half	14 sliding, 1 half	8 adjustable	6 adjustable	5 adjustable	8 adjustable
Shelving material	Wood, SS front	Wood, SS front	Wood	Metallic	Wood	Wood
Mood lighting	Blue LED	Blue LED	Crystal white LED	Crystal white LED	Crystal white LED	Crystal white LED
Door type	Glass	Glass	Glass	Glass	Glass	Glass
Built-in or freestanding only	Both	Both	Both	Both	Both	Both
Stabilised temperature control	✓	✓	✓	✓	✓	✓
Regulated humidity¹	✓	✓	✓		✓	✓
Dark storage area²	✓	✓	✓	✓	✓	✓
Vibration reduction system	✓	✓	✓	✓	✓	✓
Frequent air circulation	✓	✓	✓	✓	✓	✓
Lock	✓	✓	✓	✓	✓	✓
Thermal recycling pump	✓	✓	✓	✓	✓	✓
Winter heating function	✓	✓	✓		✓	✓
LED display panel	✓	✓	✓	✓	✓	✓
Alarm (audible and visual)			✓	✓	✓	✓
Alarm (visual only)	✓	✓				
Energy efficient R600a gas	✓	✓	✓	✓	✓	✓
Reversible door	✓	✓			✓	✓
Display shelves available for order			✓		✓	✓
Dimensions (H x W x D) (mm)	1400 x 595 x 680	1770 x 595 x 680	1860 x 595 x 600	1860 x 595 x 600	1560 x 595 x 600	1850 x 595 x 600
Rear spacer³ (mm)	30	30	30	30	30	30
Front or rear venting	Front	Front	Rear	Rear	Rear	Rear
Body colour	Black	Black	Black	Black	Silver	Silver
Door supplied right or left hinged	RH	RH	Specify	Specify	RH	RH
Weight (kg)	86	105	84	84	72	84
Electricity consumption⁴ (kWh/day)	1	1	1	1	1	1
Rated voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
Glazing and UV-treatment	Triple glazed, UV	Triple glazed, UV	Double glazed, UV	Double glazed, UV	Double glazed, UV	Double glazed, UV

Note: While product specifications are accurate at the time of printing, changes and improvements can occur at any time

* Max capacity, based on that achieved in our testing using standard 750ml Bordeaux style wine bottles or 330ml beer bottles

¹ When set at 12 - 14° celsius

² Dark interiors and tinted glass

³ Refer to install specs available at vintec.com.au

⁴ Actual energy consumption will depend on the ambient temperature, the set temperature and how often the door is opened

Walk-in Cellars

	CAVIVISION	ESPACE
Bottle capacity*	600	1000
Primary function	Cellar red & white	Cellar red & white
Alternate function	NA	NA
Finish	Classic black	Classic black
Temperature zones	1	1
Temperature ranges (°C)	8 - 18	8 - 18
Shelves	24 fixed	23 sliding
Shelving material	Wood	Wood
Mood lighting	Shelf-mounted LED display strips	Internal light
Door type	Glass	Glass
Built-in or freestanding only	Both	Both
Stabilised temperature control	✓	✓
Regulated humidity¹	✓	✓
Dark storage area²	✓	✓
Vibration reduction system	✓	✓
Frequent air circulation	✓	✓
Lock	✓	✓
Thermal recycling pump	✓	✓
Winter heating function		✓
LED display panel	✓	✓
Alarm (audible and visual)		
Alarm (visual only)		
Reversible door		
Display shelves available for order		
Dimensions (H x W x D) (mm)	2050 x 1270 x 1170	2050 x 1870 x 1170
Rear spacer³ (mm)	NA	NA
Front or rear venting	Front	Front
Body colour	Black	Black
Door supplied right or left hinged	RH	RH
Weight (kg)	310	310
Electricity consumption⁴ (kWh/day)	2	3.5 - 4
Rated voltage (V)	220 - 240	220 - 240
Glazing and UV-treatment	Double glazed, UV	Double glazed, UV

Note: While product specifications are accurate at the time of printing, changes and improvements can occur at any time
 * Max capacity, based on that achieved in our testing using standard 750ml Bordeaux style wine bottles or 330ml beer bottles
 1 When set at 12 - 14° celsius
 2 Dark interiors and tinted glass
 3 Refer to install specs available at vintec.com.au
 4 Actual energy consumption will depend on the ambient temperature, the set temperature and how often the door is opened



Photo: 3x V190BVC-BK installed at Cirrus Dining, Sydney.

Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the appliances featured in this brochure are free from defects in materials and workmanship for 2 years and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale.

All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.

Vintec

Vintec. We are part of the Electrolux Family. To add a touch of professional inspiration to your home, visit electrolux.com.au

Electrolux Home
Products Australia
1800 771 776
vintec.com.au



RECYCLED CONTENT

Printed on Pacesetter Laser Recycled (30% recycled and made up from elemental chlorine free bleached pulp that is PEFC™ certified sourced from sustainably managed sources).

© 2017 Electrolux Home Products Pty Ltd.
ABN 51 004 762 341
VBRO_VintecMaster_Dec17