Electrolux

VINTEC
WINE PRESERVATION TECHNOLOGY

Electrolux S.E.A. Pte Ltd

1 Fusionopolis Place, Galaxis

#07-10, Singapore 138522

Tel: +65 6727 3699

www.electrolux.com.sg

INNOVATIVE WINE STORAGE SOLUTIONS

Authorised Dealer

TECHNOLOGIES

NOIR
Borderless Black Glass

The quality of the materials, the innovative technology and the contemporary design make Vintec wine cellars the ideal solution for safeguarding your precious collection.

Humidity
High humidity will cause molds whereas low humidity will cause corks to dry out. Vintec wine cellars are equipped with a system that recycles water from condensation, ensuring ideal humidity conditions for your wine.

Temperature
All wines mature at the same temperature, which is a constant temperature set between 12ºc to 16ºc. Vintec presents a wide range of wine cellars offering single, dual and multi-temperature models to meet your cellaring needs.

Natural Ventilation
In order to prevent mould growth, which would generate bad odour and risk deteriorating the corks. Vintec provides natural permanent ventilation, introducing renewed air from the ambience into the cellar through an "air circulation" effect.

Vibration-Free
Slow, balanced-cycle compressors and wooden shelves are equipped in the Vintec wine cellars to reduce vibration to the minimum.

UV Protection
Light and UV rays rapidly destroy your wines by oxidizing the tannins. Vintec wine cellars safeguard your fines wines from harmful light and UV rays with solid plain door or anti-UV treated glass door options.

Collaborating with architects and interior designers - to achieve a new purity of the design with no visible handles and new minimalistic glass door, we present the new Noir Series. Borderless black glass door with Crystal white LED lighting.

Crystal White LED Light

Digital Temperature

Charcoal Filter (V190SG2e BK only)

Lock

Pictures shown are for illustration purposes only.

Pictures shown are for illustration purposes only.

Vintec's hallmark expertise has engineered and designed a wine cabinet that stores your wines for the mid-to long-term in optimum cellaring conditions. The Allure series consumes less energy, maximizing energy efficency, and reduces impact on the environment.

The Vintec Classic series allow for the utmost ease of preserving and serving your carefully chosen wines. With Vintec wine cabinets, your restaurant or cellar space is not only beautiful, but exceptionally functional as well.

Digital Temperature

Charcoal Filter

Crystal White LED Light

Lock
(ALV190SG2E and ALV150SG2E only)

Pictures shown are for illustration purposes only.

Pictures shown are for illustration purposes only.

Guide to Choosing Your Wine Cabinet

1 BOTTLE CAPACITY

SMALL 30-40

MEDIUM 50-130

LARGE 130-190

2 FUNCTION

SINGLE ZONE

Since all wines cellar at the same temperature (12-14°C), a single-zone wine cabinet is ideal for storing and cellaring. Alternatively, a single-zone cabinet can be used to keep white wines at drinking temperature of (6-8°C) or red wines at (16-18°C)

DUAL ZONE

A Dual-Zone wine cabinet is ideal for keeping both reds and whites at perfect drinking temperatures. Set the top compartment at 6-8°C for whites and champagne, and the bottom at 16-18°C for reds. Alternatively, the bottom compartment can be set at 12-14°C for cellaring.

MULTI ZONE

VINTEC versatile Multi-Temp technology is designed for serving different styles/varietals at their perfect individual drinking temperatures. For instance, setting the bottom at 6°C and top at 18°C generates a temperate perfect for both white and red wine.

3 DESIGN

NOIR SERIES

Seamless Stainless Steel SERIES

ALLURE SERIES

As a general rule, white wines should be served chilled and red wines at room temperature. However, if you abide by this simple rule you'll probably never get to really enjoy your wine at its best.

### Each wine style has an ideal serving temperature

Fridge temp.

Ideal cellaring temp.

Room temp. suitable for serving red wine

Ambient room temp. (Singapore)

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 °C

SERVED BELOW ideal temperature

tannins will be harsher; bitterness and acidity will be accentuated.

6-8°C	7-8°C	8-10°C	10-12°C	12-13°C	14-16°C	17-19°C
Sauvignon Blanc, Pinot Gris, Non Vintage Champagnes, Ice Wines	Dessert wines	Riesling, Verdelho, Vintage Champagnes	Roses, Semillon, Viognier, Sauternes	Full-bodied whites (Grand Cru Burgundies, Chardonnays)	Lighter-bodied reds (Burgundies, Napa Cabs, Pinot Noir, Merlot)	Full-bodied reds (Bordeaux, Napa Cabs, Shiraz, Zinfandel)

SERVED ABOVE ideal temperature

aromas are stripped of their finesse and hidden by a sensation of alcohol.

V30SGME

Single Temperature Zone for ageing or serving purpose

Double Layer Glass Door

Series	Classic
Capacity (Max. No of bottles)*	30
Temperature / Zone	5°C -18°C
No. of Shelves	4
Cabinet Lock	No
Digital or Analog	Digital
Weight	38kg
Dimension: H x W x D (mm)	840 x 493 x 590

V30SGMEBK

Single Temperature Zone for ageing or serving purpose

Double Layer Glass Door

ECO Technology

Series	Noir
Capacity (Max. No of bottles)*	30
Temperature / Zone	6°C -18°C
No. of Shelves	4
Cabinet Lock	No
Digital or Analog	Digital
Weight	44kg
Dimension: H x W x D (mm)	840 x 493 x 590

ALV30SG2E

Dual Temperature Zone for ageing or serving purpose

Double Layer Glass Door

Crystal White LED Light

ECO Technology

|	
Series	Allure
Capacity (Max. No of bottles)*	30
Temperature / Zone	5°C -10°C (upper) / 10°C -18°C (lower)
No. of Shelves	5
Cabinet Lock	No
Digital or Analog	Digital
Weight	44kg
Dimension: H x W x D (mm)	840 x 493 x 590

*Note: Capacity is based on Bordeaux type bottle 0.75 litres and subject to the no. of shelves and display pattern. Pictures shown are for illustration purposes only.

V40SGEBK SLOT-IN

Single Temperature Zone for ageing or serving purpose
Cabinet Lock
Double Layer Glass Door
Crystal White LED Light
ECO Technology

Series	Noir
Capacity (Max. No of bottles)*	40
Temperature / Zone	6°C -18°C
No. of Shelves	5
Cabinet Lock	Yes
Digital or Analog	Digital
Weight	44kg
Dimension: H x W x D (mm)	820 x 595 x 573

ALV40SGE SLOT-IN

Single Temperature Zone for ageing or serving purpose
Double Layer Glass Door
Crystal White LED Light
ECO Technology

Series	Allure
Capacity (Max. No of bottles)*	40
Temperature / Zone	5°C -18°C
No. of Shelves	5
Cabinet Lock	No
Digital or Analog	Digital
Weight	44kg
Dimension: H x W x D (mm)	820 x 595 x 573

V40SGES3 SLOT-IN

Single Temperature Zone for ageing or serving purpose
Cabinet Lock
Double Layer Glass Door
Crystal Blue LED Light
ECO Technology

Series	Seamless Stainless Steel
Capacity (Max. No of bottles)*	40
Temperature / Zone	6°C -18°C
No. of Shelves	5
Cabinet Lock	Yes
Digital or Analog	Digital
Weight	44kg
Dimension: H x W x D (mm)	820 x 595 x 573

ALV40SG2E SLOT-IN

Dual Temperature Zone for ageing or serving purpose
Double Layer Glass Door
Crystal White LED Light
ECO Technology

Series	Allure
Capacity (Max. No of bottles)*	40
Temperature / Zone	5°C -10°C (upper) / 10°C -18°C (lower)
No. of Shelves	4
Cabinet Lock	No
Digital or Analog	Digital
Weight	48kg
Dimension: H x W x D (mm)	820 x 595 x 573

V40 S3/BK Models Installation Guide

615
595
592
562
30
850
820
722
10
10
10
30

Front View   Side View   Top View

ALV40 Models Installation Guide

10
615
595
600
570
30
820
830
555
10
10
30
31

Front View   Side View   Top View

Pictures shown are for illustration purposes only.

*Note: Capacity is based on Bordeaux type bottle 0.75 litres and subject to the no. of shelves and display pattern.
Pictures shown are for illustration purposes only.

VINTEC BIG CABINETS
(90-120 BOTTLES)
Single Temperature

VINTEC BIG CABINETS
(155 BOTTLES)
Multi-Temperature

V120SG

Single Temperature Zone for ageing or serving purpose
Double Layer Glass Door
Charcoal Filter
Monitor Alarm
Cabinet Lock
Crystal White LED Light

Series	**Classic**
Capacity (Max. No of bottles)*	**90**
Temperature / Zone	**5ºC -18ºC**
No. of Shelves	**5**
Cabinet Lock	**Yes**
Digital or Analog	**Analog**
Weight	**65kg**
Dimension: H x W x D (mm)	**1550 x 595 x 595**

ALV190SG2E

Single/ Multi Temperature Zone for ageing or serving purpose
Monitor Alarm
Double Layer Glass Door
Security Thermostat
ECO Technology
Crystal White LED Light
Charcoal Filter
Cabinet Lock

Series	**Allure**
Capacity (Max. No of bottles)*	**155**
Temperature / Zone	**5ºC -22ºC**
No. of Shelves	**6**
Cabinet Lock	**Yes**
Digital or Analog	**Digital**
Weight	**83kg**
Dimension: H x W x D (mm)	**1850 x 595 x 595**

V160SG

Single Temperature Zone for ageing or serving purpose
Double Layer Glass Door
Charcoal Filter
Monitor Alarm
Cabinet Lock
Crystal White LED Light

Series	**Classic**
Capacity (Max. No of bottles)*	**120**
Temperature / Zone	**5ºC -18ºC**
No. of Shelves	**6**
Cabinet Lock	**Yes**
Digital or Analog	**Analog**
Weight	**75kg**
Dimension: H x W x D (mm)	**1850 x 595 x 595**

V190SG2EBK

Single/ Multi Temperature Zone for ageing or serving purpose
Monitor Alarm
Borderless Black Glass with assistive light
Charcoal Filter
ECO Technology
Cabinet Lock
Crystal White LED Light

Series	**Noir**
Capacity (Max. No of bottles)*	**155**
Temperature / Zone	**5ºC -22ºC**
No. of Shelves	**6**
Cabinet Lock	**Yes**
Digital or Analog	**Digital**
Weight	**83kg**
Dimension: H x W x D (mm)	**1850 x 595 x 595**

	V30SGME	V30SGMEBK	ALV30SG2E
Series	Classic	Noir	Allure
Type	Small Cabinet	Small Cabinet	Small Cabinet
Capacity (Max. No of bottles)	30	30	30
Temperature / Zones	5°C -18°C	6°C -18°C	5°C -10°C / 10°-18°C
No. of Shelves	4	4	5
Cabinet Lock	No	No	No
Digital or Analog	Digital	Digital	Digital
Weight	38kg	44kg	44kg
Dimension: H x W x D (mm)	840 x 493 x 590	840 x 493 x 590	840 x 493 x 590
Single Temperature	✓	✓	
Dual Temperature			✓
Multi Temperature			
Monitor Alarm			
Security Thermostat			
Lock			
Double Layer Glass Door	✓	✓	✓
Crystal White LED			✓
Crystal Blue LED			
Digital Display & Temperature Control		✓	✓
Under Counter Slot-In			

	V120SG / V160SG	ALV190SG2E	V190SG2EBK
Series	Classic	Allure	Noir
Type	Big Cabinet	Big Cabinet	Big Cabinet
Capacity (Max. No of bottles)	90 / 120	155	155
Temperature / Zones	5°C -18°C	5°C -22°C	5°C -22°C
No. of Shelves	5 / 6	6	6
Cabinet Lock	Yes	Yes	Yes
Digital or Analog	Analog	Digital	Digital
Weight	65kg / 75kg	83kg	83kg
Dimension: H x W x D (mm)	1550 x 595 x 595 / 1850 x 595 x 595	1850 x 595 x 595	1850 x 595 x 595
Single Temperature	✓		
Dual Temperature			
Multi Temperature		✓	✓
Monitor Alarm		✓	
Security Thermostat	✓	✓	✓
Lock	✓	✓	✓
Double Layer Glass Door	✓	✓	✓
Crystal White LED		✓	✓
Crystal Blue LED			
Digital Display & Temperature Control		✓	✓
Under Counter Slot-In			

	ALV40SGE (SLOT-IN)	ALV40SG2E (SLOT-IN)	V40SGEBK (SLOT-IN)	V40SGES3 (SLOT-IN)
Series	Allure	Allure	Noir	Seamless Stainless Steel
Type	Small Cabinet	Small Cabinet	Small Cabinet	Small Cabinet
Capacity (Max. No of bottles)	40	40	40	40
Temperature / Zones	5°C -18°C	5°C -10°C / 10°C -18°C	6°C -18°C	6°C -18°C
No. of Shelves	5	4	5	5
Cabinet Lock	No	No	Yes	Yes
Digital or Analog	Digital	Digital	Digital	Digital
Weight	44kg	48kg	44kg	44kg
Dimension: H x W x D (mm)	820 x 595 x 573	820 x 595 x 573	820 x 595 x 573	820 x 595 x 573
Single Temperature	✓		✓	✓
Dual Temperature		✓		
Multi Temperature				
Monitor Alarm				
Security Thermostat				
Lock			✓	✓
Double Layer Glass Door	✓	✓	✓	✓
Crystal White LED	✓	✓	✓	
Crystal Blue LED				✓
Digital Display & Temperature Control	✓	✓	✓	✓
Under Counter Slot-In	✓	✓	✓	✓

Pictures shown are for illustration purposes only.